

X AXELEN

**KERÉKPÁRTÁROLÁSI
MEGOLDÁSOK**



JBX

**KORSZERŰ ÉS MINŐSÉGI MEGOLDÁSOK
KERÉKPÁRTÁROLÁSRA AZ AXELEN-TŐL**



Two-tier bike rack

DOUBLE RACK WITH MULTIPLE OPTIONS

Safe-X two-tier double racks provide twice the capacity of traditional solutions. Our bike racks help you to optimise the space. The double rack is available in different sizes with between 4 and 16 spaces, and bikes can be securely chained to the frame on both tiers. The bike rack is available with useful extendable rails on the top tier. Rails are available with manual or gas spring extension. Gas springs take the strain off of the user when sliding the bike in or out. You can also choose one of our simpler double-rack solutions, with small extendable rails or fixed rails. Discover our range of double racks.





Double rack with extendable rail



200-22L/33L/44L

Bike-up Classic Tower

Extendable double rack without gas springs

Double rack in a choice of three sizes with 4 to 8 spaces and the possibility to chain the bike to the frame on either level.

Number of bikes	Width (mm)	Rec. depth & min. ceiling height (mm)	Item No.
8	1,600	3,600	200-44L
6	1,200	2,420	200-33L
4	800		200-22L



200-2222/3333/4444

Bike-up Twin Classic Tower

Extendable double rack without gas springs

Bike-Up Twin Classic Tower has extendable rails and is available in three different sizes between 8 and 16 spaces. Bikes can be chained to the frame on both levels.

Number of bikes	Width (mm)	Rec. depth & min. ceiling height (mm)	Item No.
16	1,800	6,600	200-4444
12	1,400	2,420	200-3333
8	1,000		200-2222




100-22L/33L/44L

Bike-up Pro Tower

Extendable double rack with gas springs

Double rack in a choice of three sizes with 4 to 8 spaces and the possibility to chain the bike to the frame on either level.

Number of bikes	Width (mm)	Rec. depth & min. ceiling height (mm)	Item No.
8	1,600	3,600	100-44L
6	1,200	2,420	100-33L
4	800		100-22L



100-2222/3333/4444

Bike-up Pro Twin Tower

Extendable double rack with gas springs

Bike-Up Pro Twin Tower has extendable rails and is available in three different sizes between 8 and 16 spaces. Bikes can be chained to the frame on both levels.

Number of bikes	Width (mm)	Rec. depth & min. ceiling height (mm)	Item No.
8	1,800	6,600	100-4444
6	1,400	2,420	100-3333
4	1,000		100-2222



Double racks without rails or with smaller rails



Bike-up Basic Tower

Double rack with locking on both tiers

Double rack in three sizes with 4 to 8 spaces, without extendable rail. Bikes are lifted up to the upper tier.

Number of bikes	Width (mm)	Rec. depth & min. ceiling height (mm)	Item No.
8	1,600	3,600	300-44L
6	1,200	2,420	300-33L
4	800		300-22L



Bike-up Twin Basic Tower

Double rack with locking on both tiers

Bike-Up Twin Basic Tower is available in three sizes with 8 to 16 spaces. Bikes can be chained to the frame on both levels.

Number of bikes	Width (mm)	Rec. depth & min. ceiling height (mm)	Item No.
16	1,800	3,600	300-4444
12	1,400	2,420	300-3333
8	1,000		300-2222



Bike-up Basic+ Tower

Double rack with locking on both tiers

Double rack with shorter extendable rail, for when there is insufficient space for a full-length rail. Space for up to 8 bikes.

Number of bikes	Width (mm)	Rec. depth & min. ceiling height (mm)	Item No.
8	1,600	3,600	400-4444UL
6	1,200	2,420	400-3333UL
4	800		400-2222UL



Bike-up Basic+ Twin Tower

Double rack with locking on both tiers


With shorter extendable rail, for when there is insufficient space for a full-length rail. Space for up to 8 to 16 bikes.

Number of bikes	Width (mm)	Rec. depth & min. ceiling height (mm)	Item No.
16	1,800	6,600	400-4444U
12	1,400	2,420	400-3333U
8	1,000		400-2222U



TWO-TIER BIKE RACKS

Suitable for indoor or outdoor use



1,000 bike spaces for the bicycle garage at Linnaeus University



Outdoor bike rack for the Kaksmulan housing estate in Sköndal

Ground bike racks

BIKE-UP STREET AND BIKE-UP CLASSIC

Our ground bike racks are available in four models, with parking on one or both sides. The racks are available with straight or angled parking for optimal use of space. Three of the models come with a safety bar to attach to the bike for secure locking.



Ground rack with space for 2 to 10 bikes



Bike-up Classic

Single ground rack with space for 2 to 5 bikes

A convenient ground bike rack for 2 to 5 bikes. This rack is suitable for both large and small bikes. Bikes are parked at different levels to reduce the centre-to-centre distance.

Number of bikes	Height (mm)	Depth × Width (mm)	Item No.
5	500	500 × 1,900	700-5
4	500	500 × 1,550	700-4
3	500	500 × 1,200	700-3
2	500	500 × 800	700-2
Accessories Safety bar			2000-1



Bike-up Twin Classic

Double ground rack with space for 4 to 10 bikes

A convenient ground bike rack for 2 to 5 bikes. This rack is suitable for both large and small bikes. Bikes are parked at different levels to reduce the centre-to-centre distance.

Number of bikes	Height (mm)	Depth × Width (mm)	Item No.
10	575	600 × 2,025	700-55
8	575	600 × 1,655	700-44
6	575	600 × 1,285	700-33
4	575	600 × 915	700-22
Accessories Safety bar			2000-1




Bike-up Classic Angle 45°

Angled single rack with space for 2 to 5 bikes

This rack has space for 2 to 5 bikes parked at a 45° angle. This rack accommodates bicycles of varying heights.

Number of bikes	Height (mm)	Depth × Width (mm)	Item No.
5	500	500 × 2,344	10-5
4	500	500 × 1,894	10-4
3	500	500 × 1,458	10-3
2	500	500 × 1,015	10-2
Accessories Safety bar			2000-1



Bike-up Street

Single ground rack with space for 4 to 5 bikes

Rack for 4 to 5 bikes placed on the ground. This bike rack is suitable for large and small bikes parked on a single level.

Number of bikes	Height (mm)	Depth × Width (mm)	Item No.
5	250	450 × 2,230	600-5
4	250	450 × 1,880	600-4

Wall-mounted bike racks

Our wall-mounted racks are attached to the wall with bolts. Our wall racks come in both straight and angled models. The Wall 90° comes with a safety bar for secure locking. We also make a single rack for hanging your bike by the front wheel on a wall hook. In addition to our wall-hanging models, we also offer a wall-mounted rail that provides a much-appreciated option for storerooms or other storage spaces. The rail is ideal for chaining prams and strollers.



Bull Hanger

Wall-mounted bike rack

The Bull Hanger is a single, wall-mounted bike rack for hanging your bike on two adjustable hooks. Simple pull the hooks out to the desired width for your model of bicycle.

Number of bikes	Min–Max. width (mm)	Height (mm)	Item No.
1	360–900	260	102030



Bike Lift

Wall-mounted bike rack with gas spring

Bike Lift is a single, wall-mounted bike rack. The rack is equipped with a gas spring to help lift your bike into place. Hinges can also be purchased so that you can angle the bike rack.

Number of bikes	Width × Depth (mm)	Length (mm)	Item No.
1	100 × 260	1,210	500-1A

Wall rack with space for up to five bikes



800-5/4/3/2

Bike-up Wall 90°

Wall-mounted bike rack

This wall-mounted bike rack has space for 2 to 5 bikes parked at a 90° angle.

Number of bikes	Height (mm)	Depth × Width (mm)	Item No.
5	430	245 × 2,250	800-5
4	430	245 × 1,800	800-4
3	430	245 × 1,350	800-3
2	430	245 × 900	800-2
Accessories			2000-1
Safety bar			



900-2/3/4/5

Bike-up Wall 45°

Wall-mounted angled bike rack

This wall-mounted bike rack has space for 2 to 5 bikes parked at a 45° angle.

Number of bikes	Height (mm)	Depth × Width (mm)	Item No.
5	430	245 × 2,250	900-5
4	430	245 × 1,800	900-4
3	430	245 × 1,350	900-3
2	430	245 × 900	900-2



500-1

Bike-up Wall Hook

Wall-mounted single bike rack

The device is mounted on the wall and the bicycle is then hung by the front wheel.

Number of bikes	Width × Depth (mm)	Length (mm)	Item No.
1	100 × 260	1,210	500-1



100200

Bike-up Lock Rail

Wall rail suitable for securing prams and strollers

using this wall-mounted rail, you can secure and store your pram or stroller in any storage area.

Length	Item No.
1,760	100200

Single rack

OUR BOLLARDS WITH SPACE FOR CHAINING BICYCLES

Our robust and stable bollards come in a range of sizes to meet your specific needs and wishes. Simply park your bike next to the bollard and chain it to the frame. This bollard is anchored to the ground with bolts. The bollard is hot-dip galvanised to withstand outdoor environments such as pavements.



Bollard with space for securing two bikes



101101

Bike-up Nimbus Small

Stylish bike rack for support and locking

A hot-dip galvanised bike rack bolted to the ground, for locking up to two bikes.

Number of bikes	Height (mm)	Depth x Width (mm)	Item No.
1-2	724	268	101101



101102

Bike-up Nimbus Large

Stylish bike rack for support and locking

A hot-dip galvanised bike rack bolted to the ground, for locking up to two bikes.

Number of bikes	Height (mm)	Depth x Width (mm)	Item No.
1-2	1,000	400	101102



101103

Bike-Up Nimbus Journey

Stable and robust bike rack for support and locking

A hot-dip galvanised bike rack bolted to the ground, for locking up to two bikes.

Number of bikes	Height (mm)	Depth x Width (mm)	Item No.
1-2	779	820	101103



1000-1

Bike-up Pole

Single bike rack bolted to the ground

The Bike-Up Pole is a ground bike rack with space for one bicycle, that can be conveniently located on the pavement, for example. The pole is screwed into the ground.

Number of bikes	Height (mm)	Depth x Width (mm)	Item No.
1	779	820	1000-1

Other bike racks

SMART, SPACE-SAVING BIKE RACKS

Among our other bike racks you will find racks for suspending bikes, helping you to optimise your space. One is a ceiling-mounted rack from which the bike is suspended by the front wheel. The other is a rotating rack that can accommodate up to 12 bikes in a small area. The perfect solution when space is at a premium. Then there are three additional types of single rack that are cemented into the ground. You can find the Arc, Guard and Watch on the next page.



Other ground and suspended bike racks



5-400, 5-900

Bike-up Roof Hook

Ceiling-mounted single bike rack

The device is mounted on the ceiling and the bike suspended by the front wheel. This rack is available in two sizes.

Number of bikes	Length (mm)	Width (mm)	Item No.
1	400	300	5-400
1	900	300	5-900



1000-12

Bike-up Spin-12

Rotating bike rack

The rack is fixed in the ground and provides space for 12 bikes. With a maximum required floor space of 3 x 3 metres, this rack saves a great deal of space. For the best effect, place it in a corner.

Number of bikes	Height (mm)	Rec. floor space	Item No.
12	2,000	3 x 3 metres	1000-12




510030

Bike Rack Arc

Bollard

Bike Rack Arc is a stylish, functional rack designed to accommodate up to two bikes.

Item No.	Height (mm)	Width (mm)
510030	1,500	1,250




510020

Bike Rack Guard

Bollard

Guard is a space-saving rack designed for two bikes.

Item No.	Height (mm)	Width (mm)
510020	1,500	350



510010

Bike Rack Watch

Bollard

Bike Rack Watch can be conveniently located, for example on the pavement, providing space for two bikes.

Item No.	Height (mm)	Width (mm)
510010	1,500	550

Our service stations

THE ULTIMATE ACCESSORY FOR YOUR BIKE RACK PROJECT

- Practical bike suspension on models XL and L
- Large selection of tools for all service stations for the maintenance of bikes, prams, strollers, wheelchairs, etc.
- Pump with adapters for all types of valve
- Durable housing can withstand outdoor environments



Our service stations and pumps

The Bike-Up Service Station is designed for use in public spaces. The housing is made of thick, powder-coated, galvanised steel and the station can be bolted to the ground. Tools are attached to long and secure steel ropes, making it easy to reach all of the bike's components. The Bike-Up Service Station is equipped with a hand pump with adapters for all types of valve. With the XL and L stations, you can put your bike on the stand so you can easily turn the gears while making repairs.



520100, 520102, 520101

Size	Height x Width (mm)	Depth (mm)	Item No.
XL	1,560 x 510	400	520100
L	1,340 x 440	300	520102
S	710 x 200	200	520101

Primo Bicycle Pump

Wall-mounted bicycle pump with compressor

Wall-mounted electric bicycle pump with compressor. Pressure gauge 0 to 10 bar. Anti-UV treated with unbreakable polycarbonate. Universal nozzle that fits Presta, Schrader, Woods and Dunlop valves. Shipped with three screws and plugs designed for hard material only.

Height x Width (mm)	Item No.
400 x 190	52001



52001



JBX Trade Kft.

Mechanikus gépbiztonsági
megoldások, ütközésvédők,
rácsos kábeltálcák



Cím:

2040 Budaörs, Ébner György köz 4.



Telefon:

+36 70 559 1144



Email:

info@jbx.hu



Weboldal:

<https://jbx.hu/>