

X AXELEN

X-STORE

RAKTÁRELVÁLASZTÓ
MEGOLDÁSOK



JBX

DEDIKÁLT MEGOLDÁS IPARI
KÖRNYEZETEK BEN TÖRTÉNŐ TERÜLET
LEVÁLASZTÁSOKRA, ELZÁRÁSRA



X-Store second generation secures your warehouse


The X-Store system is designed to give you easy and secure access to your warehouse. The second generation offers a number of benefits and improvements. This includes a dedicated ceiling solution, easy independent removal of adjacent panels and a single post that can be used in three different directions - including corners!

Benefits of X-Store

- ✓ New **fast and unique way to attach panels** to posts
- ✓ **Wide range of locks and doors** (based on the same system that is used for X-Guard)
- ✓ **Remove a panel without affecting** the adjacent panels
- ✓ **Build right up to the ceiling**
- ✓ Available in **SnapperWorks**
- ✓ **Modular concept** – custom height and width
- ✓ New **floor fitting design** – combine with posts of standard height for **cost efficiency**
- ✓ **Flexible posts** – build in 3 different directions, including corners
- ✓ **Easily adjust the height** of each panel individually
- ✓ **New joint** for easier and stronger vertical constructions
- ✓ **Clearly marked entrances and exits** with different wall and door panel colours
- ✓ **Made-to-measure installations** with cutting kits and adjustable panel inserts
- ✓ **Ceiling in unlimited length**, max. width 6 m




Draw your X-Store system in Axelent's drawing program SnapperWorks for free! Click and drag features. With 3D view. The drawing works as an order basis.




Smooth removal

Remove/move a panel without affecting the adjacent panels.



Modular concept

X-Store grows with you – in both height and width.




Unique attachment

Attach panels to posts quickly and with great results.




New strong joint

Building higher panel walls are easy.



Marked passage

Show the way with colour. The door panel is black while the mesh walls are grey.



Flexible posts

Build in 3 different directions, including corners.



X-Store


industry and warehouse system

EASILY ADAPTABLE

The X-Store sections are available in two heights and several widths. Using feet, posts and extensions you can tailor the panels to suit your needs. We offer a cutting service to ensure your panels are perfectly dimensioned, horizontally and vertically.

COMBINE WITH A DOOR PACKAGE

It is also possible to combine X-Store with one of our door packages. If you want a special colour to fit in with the rest of your decor we can naturally fix that as well. Everything is delivered plastic-wrapped on our customised pallets straight from Hillerstorp.



PRODUCT FACTS X-STORE	
Vertical tubing mesh	19x19 mm
Horizontal tubing mesh	15x15 mm
Vertical wires	Ø 3 mm
Horizontal wires	Ø 2,5 mm
Mesh aperture	60x50 mm
Plastic sheet	2 mm (thermoplastic polyester)
Metal sheet	0,7 mm
Posts	50x50 mm, 70x70 mm or floor fitting
Gap to floor distance*	100 mm
Coating	Phosphate/Epoxy paint
Colour, mesh panel	Papyrus White RAL 9018
Colour, door	Graphite Black RAL 9011
Colour, post	Graphite Black RAL 9011

(Other colours can be quoted)
* Coverstrip to close the gap is available as an option

Product Facts » X-Store

MESH PANEL (Height 2200 mm)		
Art.no	Height (mm)	Width (mm)
Papyrus White RAL 9018		
413-220025	2200	0250
413-220040	2200	0400
413-220080	2200	0800
413-220100	2200	1000
413-220120	2200	1200
413-220150	2200	1500

SHEET METAL PANEL (Height 2200 mm)		
Art.no	Height (mm)	Width (mm)
Graphite black RAL 9011		
349-220025	2200	0250
349-220040	2200	0400
349-220080	2200	0800
349-220100	2200	1000

MESH PANEL (Height 1100 mm)		
Art.no	Height (mm)	Width (mm)
Papyrus White RAL 9018		
413-110025	1100	0250
413-110040	1100	0400
413-110080	1100	0800
413-110100	1100	1000
413-110120	1100	1200
413-110150	1100	1500

SHEET METAL PANEL (Height 1100 mm)		
Art.no	Height (mm)	Width (mm)
Graphite black RAL 9011		
349-110025	1100	0250
349-110040	1100	0400
349-110080	1100	0800
349-110100	1100	1000


MESH PANEL (Height 750 mm)		
Art.no	Height (mm)	Width (mm)
Papyrus White RAL 9018		
413-075025	750	0250
413-075040	750	0400
413-075080	750	0800
413-075100	750	1000
413-075120	750	1200
413-075150	750	1500

PLASTIC PANEL (Height 2200 mm)		
Art.no	Height (mm)	Width (mm)
348-220025	2200	0250
348-220040	2200	0400
348-220080	2200	0800
348-220100	2200	1000

PLASTIC PANEL (Height 1100 mm)		
Art.no	Height (mm)	Width (mm)
348-110025	1100	0250
348-110040	1100	0400
348-110080	1100	0800
348-110100	1100	1000

Product Facts » X-Store

POSTS		
Art.no	Gap to floor (mm)	Height (mm)
50x50 mm foot included, Graphite Black RAL 9011		
P3101-230	100	2300
70x70 mm foot included, Graphite Black RAL 9011		
P3301-230	100	2300
1 Extension 50 x 50 mm, Graphite Black RAL 9011		
E3101-075		0750
E3101-075B (above sliding door)		0750
E3101-110		1100
E3101-110B (above sliding door)		1100
E3101-220		2200
E3101-220B (above sliding door)		2200
2 Extension 70 x 70 mm, Graphite Black RAL 9011		
E3301-075		0750
E3301-110		1100
E3301-220		2200
Extension 50 x 50 mm, Special colour		
E5101-075		0750
E5101-075B (above sliding door)		0750
Extension 70 x 70 mm, Special colour		
E5301-075		0750
3 Floor support, Graphite Black RAL 9011		
P3101-082	100	825



Suitable doors for X-Store » Without ceiling


EXAMPLE OF DOORS SUITABLE TO X-STORE SYSTEM WITHOUT CEILING								
Door	Art.No.	Height cage/door 2300/2300 mm	Height cage/door 3055/2300 mm	Height cage/door 3055/3055 mm	Height cage/door 3400/2300 mm	Height cage/door 3400/3400 mm ^B	Height cage/door 4500/2300 mm	Height cage/door 4500/4500 mm ^B
①	D10/DP10-XXX150	✓		✓		3 widths ^A		✓
①	D11/DP11-XXX150	✓	✓		✓		✓	
②	D12/DP12-230300	✓		✓				
⑩	D13-XXX249	✓		✓				
⑩	D13-XXX565	✓						
③	D20-XXX100	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D20-XXX140	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D20/DP20-XXX220	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D20/DP20-XXX310	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D20-XXX570	✓		✓		3 widths ^A		
④	D22-XXX290	✓	✓	✓	✓	3 widths ^A	✓	✓
④	D22-XXX590	✓	✓	✓	✓	3 widths ^A	✓	✓
⑤	D23-XXX300	✓						
⑥	D23-XXX450	✓						
⑦	D24/DP24-230140, -230290	✓						
①	D30/DP30-XXX150	✓			✓ ^C	3 widths ^A	✓ ^C	✓
②	D32-230300	✓						
③	D40-XXX100	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D40-XXX140	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D40/DP40-XXX220	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D40-XXX310	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D40-XXX570	✓	✓	✓		3 widths ^A	✓	✓
④	D42/DP42-XXX290	✓	✓	✓	✓	3 widths ^A	✓	✓
④	D42/DP42-XXX590	✓	✓	✓	✓	3 widths ^A	✓	✓
⑤	D43-XXX300	✓						
⑥	D43-XXX450	✓						
⑦	D44-230140, -230290	✓						
⑧	D56/DP56-XXX200	✓		✓				
⑨	D57/DP57-XXX400	✓		✓				

A Only door panels in the widths 800 mm, 1000 mm & 1500 mm are selectable
B Article number ends with -B
C Replaced by D11-XXX150
DP = Fits with plastics and sheet metal

Suitable doors for X-Store » With ceiling

EXAMPLE OF DOORS SUITABLE TO X-STORE SYSTEM WITH CEILING								
Door	Art.No.	Height cage/door 2300/2300 mm	Height cage/door 3055/2300 mm	Height cage/door 3055/3055 mm	Height cage/door 3400/2300 mm	Height cage/door 3400/3400 mm ^B	Height cage/door 4500/2300 mm	Height cage/door 4500/4500 mm ^B
①	D10-XXX150	✓						
①	D11-XXX150	✓	✓	✓	✓	3 widths ^A	✓	✓
②	D12-230300	✓		✓				
⑩	D13-XXX249	✓		✓				
⑩	D13-XXX565	✓		✓				
③	D20-XXX100	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D20-XXX140	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D20-XXX220	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D20-XXX310 ^D	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D20-XXX570							
④	D22-XXX290 ^D	✓	✓	✓	✓	3 widths ^A	✓	✓
④	D22-XXX590 ^D	✓	✓	✓	✓	3 widths ^A	✓	✓
⑤	D23-XXX300	✓						
⑥	D23-XXX450							
⑦	D24-230140, -230290 ^D	✓						
①	D30-XXX150 ^C	✓		✓	✓	3 widths ^A	✓	✓
②	D32-230300	✓		✓				
③	D40-XXX100	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D40-XXX140	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D40-XXX220	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D40-XXX310 ^D	✓	✓	✓	✓	3 widths ^A	✓	✓
③	D40-XXX570							✓
④	D42-XXX290	✓	✓	✓	✓	3 widths ^A	✓	✓
④	D42-XXX590 ^D	✓	✓	✓	✓	3 widths ^A	✓	✓
⑤	D43-XXX300	✓						
⑥	D43-XXX450							
⑦	D44-230140, -230290 ^D	✓						
⑧	D56-XXX200	✓		✓				
⑨	D57-XXX400	✓		✓				

A Only door panels in the widths 800 mm, 1000 mm & 1500 mm are selectable
B Article number ends with -B
C Replaced by D11-XXX150
D Max. opening 3000 mm



Wide range of doors

The wide range of locks and doors for the X-Store system are based on the same range as for Axelent X-Guard. Have a look at the guide above to see examples of which doors that are suitable for your desired X-Store system. For the complete selection of doors, see axelent.com » Warehouse » X-Store

The X-Store door package gives you easy and secure access to the enclosure.

When drawing your project in SnapperWorks the program automatically picks matching doors.

Curious about SnapperWorks? The program is developed by Axelent and completely free of charge. Contact your local sales office for more information.
» www.axelent.com

ACCESSORIES		
Art.no	Width (mm)	Height (mm)

1 Adjustable infill, Light grey RAL 9018

T07-4-07511	117	750
T07-4-07531	317	750
T07-4-11011	117	1100
T07-4-11031	317	1100
T07-4-22011	117	2200
T07-4-22031	317	2200

1 Adjustable infill, Special colour

T07-5-07511	117	750
T07-5-07531	317	750

2 Corner brackets 90°, 3 pcs

95001

3 Hinge, 0-90°, 2 pcs (bolt/bolt)

B10-3B

Cutting kit, Papyrus White RAL 9018

KHX-4-150	1500	Horizontal
KVX-4-075	Vertically	0750
KVX-4-110	Vertically	1100
KVX-4-220	Vertically	2200

Cutting kit, Special colour

KVX-5-075	Vertically	0750
KVX-5-110	Vertically	1100
KVX-5-220	Vertically	2200

4 Kit, kickplate with end brackets

Art.no.	Description
T08-3-100	Kickplate (Plastic), H = 100 mm, L = 1000 mm, RAL 9011
T08-3-150	Kickplate (Plastic), H = 100 mm, L = 1500 mm, RAL 9011
T08-3-100RE	Kickplate (Plastic), H = 100 mm, L = 1000 mm, RAL 9011 (reinforced)
T08-3-150RE	Kickplate (Plastic), H = 100 mm, L = 1500 mm, RAL 9011 (reinforced)
B00-057	Kit, inner corner bracket for plastic kickboard

5 Bracket for mounting X-Store panel to X-Guard post (door post)

T00-07	Panel brackets with bolt, (1 pack=4pcs), X-Guard
--------	--



ACCESSORIES	
Kind	Description

1 X-It

XIT-L01-101	X-It Cylinder lock, hinge door, LH
XIT-L01-301	X-It Cylinder lock, sliding door, left
XIT-L01-401	X-It Cylinder lock, sliding door with center lock, LH
XIT-R01-101	X-It Cylinder lock, hinge door, RH
XIT-R01-301	X-It Cylinder lock, sliding door, RH
XIT-R01-401	X-It Cylinder lock, sliding door with center lock, RH

XIT-L14-101	X-It "Slam Shut", esc.rel.function, hinge door, LH
XIT-L14-301	X-It "Slam Shut", esc.rel.function, sliding door, LH
XIT-L14-401	X-It "Slam Shut", esc.rel.function, sliding door center lock, LH
XIT-R14-101	X-It "Slam Shut", escape release function, hinge door, RH
XIT-R14-301	X-It "Slam Shut", escape release function, sliding door, RH
XIT-R14-401	X-It "Slam Shut", esc.rel.function, sliding door center lock, RH

XIT-L09-101	X-It Electric, esc.rel.function, hinge door, LH
XIT-L09-301	X-It Electric, esc.rel.function, sliding door, LH
XIT-L09-401	X-It "Slam Shut", esc.rel.function, sliding door center lock, LH
XIT-R09-101	X-It Electric, esc.rel.function, hinge door, RH
XIT-R09-301	X-It Electric, esc.rel.function, sliding door, RH
XIT-R09-401	X-It Electric, esc.rel.function, sliding door center lock, RH

2 Padlock brackets


L10-00-0	Padlock brackets for hinge door, right/left
L20-00-0	Padlock brackets for sliding door, right/left
L22-00-0	Padlock brackets for sliding door with centre lock

3 Bail handle

T01-22	Bail handle c/c 150mm, set of 2 incl. mounting plates
--------	---


4 Snap lock

L10-05-0	Snap lock for hinge door, right/left
L20-05-0	Snap lock for sliding door, right/left
L22-05-0	Snap lock for sliding door with centre lock



1 X-It

Axellent X-It is a patent-pending, ingenious cylinder lock with a unique design that requires no extra case.



2 Padlock brackets

Our most simple lock system. A normal hinge lock secure the area from being entered by unauthorized.



3 Bail handle

The shackle handle is supplied as a set of 2 pieces and an attachment.



4 Snap lock

The door closes with a simple push and is kept closed by the built-in catch.



JBX Trade Kft.

Mechanikus gépbiztonsági
megoldások, ütközésvédők,
rácsos kábeltálcák



Cím:

2040 Budaörs, Ébner György köz 4.



Telefon:

+36 70 559 1144



Email:

info@jbx.hu



Weboldal:

<https://jbx.hu/>